

Patron

Programmable logic controller for your project

Unipi Patron controller

BUILDING MANAGEMENT SYSTEMS

ENERGETICS

INDUSTRY AND IIoT

DATA CENTERS

AUTOMATION

MONITORING AND CONTROL

REMOTE ACCESS




MONITORING

SCADA

SENZORICS

Model	Digital inputs	Digital outputs	Relay outputs	Analog inputs	Analog outputs	RS485	RS232	1-Wire	Other	
S107	4	4	-	1	1	2	1	1		
S117	4	4	-	1	1	4	-	1		
S167-LTE	4	4	-	1	1	2	-	1	LTE connection	
S207	8	-	8	-	-	1	-	1		
M207	20	4	14	1	1	2	1	1		
M267-LTE	20	4	14	1	1	2	-	1	LTE connection	
M527	8	4	5	5	5	3	1	1		
M567-LTE	8	4	5	5	5	3	-	1	LTE connection	
L207	36	4	28	1	1	2	1	1		
L527	24	4	19	5	5	3	1	1		
Other features	processor i.MX 8M Mini (4x Arm© Cortex©-A53, max 1,8 GHz) 1 GB RAM, 8 GB eMMC internal memory, 100 Mbit Ethernet, 2× USB 2.0						Size in modules on 35mm DIN rail S = 4 M = 8 L = 12			

Extension modules xS	Digital inputs	Digital outputs	Relay outputs	Analog inputs	Analog outputs	RS485	RS232	1-Wire	Other
xS11	12	-	13	-	-	1	-	-	
xS51	4	-	5	4	4	1	-	-	



MORE ABOUT UNIPI PATRON